

Review

The Brain–Immune–Gut Axis: Rethinking Neurodegeneration Through Immunology, Microbiome, and Nutrition

[Almaz Sharman](#)

PhD, Academy of Preventive Medicine, Almaty, Kazakhstan. E-mail: ncn@academypm.org

Received: September 05, 2025
Revised: September 29, 2025
Accepted: October 11, 2025
Published: December 17, 2025

Citation: Almaz Sharman.
The Brain–Immune–Gut Axis:
Rethinking Neurodegeneration
Through Immunology, Microbiome,
and Nutrition. *Kaz J Clin NeuSci.*
2025, 78 (4), kjc032.
<https://doi.org/10.53498/30zqfj62>

This work is licensed under a
Creative Commons Attribution
4.0 International License



Abstract

Neurodegenerative diseases, once conceptualized primarily as disorders of protein misfolding and neuronal loss, are increasingly recognized as systemic immunometabolic syndromes. The traditional view of the brain as an immune-privileged organ has been overturned by discoveries of glymphatic clearance, meningeal lymphatics, and direct neuroimmune interfaces, all of which integrate central and peripheral immunity. Within the brain, microglia emerge as both guardians and drivers of pathology, with genetic risk factors such as APOE4 and TREM2 linking innate immune dysfunction to Alzheimer's and related dementias. Beyond the CNS, the gut-associated lymphoid tissue (GALT) and microbiome play pivotal roles in regulating immune tone through microbial metabolites, bile acid transformations, and vagal neurocircuits. Aging further amplifies this vulnerability by accelerating immunosenescence and “inflammaging,” compromising synaptic resilience. Diet and nutrition serve as programmable levers within this brain–immune–gut axis: dietary fiber, polyphenols, and omega-3 fatty acids promote immune tolerance and neuroprotection, whereas obesogenic diets exacerbate neuroinflammation. Emerging therapies—ranging from microbiome-targeted interventions and GLP-1 receptor agonists to bioelectronic neuromodulation and immune rejuvenation strategies—underscore the translational potential of this paradigm. This review synthesizes evidence positioning the brain–immune–gut axis as a central determinant of neurodegenerative disease, highlighting how immune regulation, microbial ecology, and dietary inputs can be harnessed for prevention and treatment.

Keywords: neurodegenerative diseases, brain, gut, immunity, microbiome, nutrition.

1. From Immune Privilege to Immune Integration

For most of the twentieth century, the brain was considered immunologically privileged, cordoned off from peripheral immune surveillance by the blood–brain barrier (BBB). Early transplantation studies and clinical observations supported this view: grafts survived longer in the brain than in peripheral tissues, and encephalitis was thought to occur only when this barrier was breached. The CNS was regarded as an island of neural activity, protected from the volatility of the immune system [1-6].

This perspective began to shift with the discovery of immune cells and cytokines in cerebrospinal fluid, followed by the identification of meningeal lymphatic

vessels and direct bone marrow channels linking skull and dura. These findings demonstrated that the brain is not immunologically insulated but instead continuously interacts with the periphery. Immune cells patrol the meninges, dendritic cells present antigens draining from the parenchyma, and microglia act as sentinels within the CNS itself. The BBB, once conceived as a rigid fortress, is now recognized as a dynamic regulatory interface, allowing selective exchange of cytokines, chemokines, and metabolites that influence both brain and immune homeostasis [7-17].

The consequence of this reconceptualization is profound. Rather than being an immunologically

exempt organ, the brain is embedded in a systemic immune network. This shift reframes neurodegenerative

diseases: not as isolated neuronal catastrophes, but as disorders shaped by maladaptive immune responses.

2. Microglia: Sentinels and Saboteurs

Microglia, the brain's resident macrophages, exemplify this dual role. In development, they sculpt synaptic connections through pruning and trophic support. In adulthood, they respond to pathogens, injury, and aberrant protein aggregates. Yet with aging and genetic susceptibility, microglia can transition into pathogenic states. Lipid-droplet-accumulating microglia secrete pro-inflammatory cytokines, generate reactive oxygen species, and engulf synapses inappropriately, accelerating cognitive decline [18-24].

Genetic evidence underscores their centrality. Variants in *TREM2*, *APOE*, *CD33*, and other immune-related genes consistently emerge in genome-wide

association studies of Alzheimer's disease. The *APOE4* allele in particular rewires microglial metabolism, amplifying inflammatory responses to amyloid and tau, and impairing phagocytic clearance. These immune pathways appear not merely correlative but causal, suggesting that modulating microglial activation could alter disease trajectory [25-30].

The broader implication is that microglia are not passive bystanders to proteinopathy but active participants in the progression of neurodegeneration. Understanding the molecular switches that tip them from protective to pathogenic states is now a major frontier in neuroimmunology.

4. The Gut–Brain–Immune Axis

Parallel to advances in CNS immunology has been the recognition of the gut as a central regulator of brain health. The gut-associated lymphoid tissue (GALT) is the largest immune organ in the body, containing Peyer's patches, mesenteric lymph nodes, and lamina propria immune cells. It orchestrates systemic inflammatory tone and shapes the pool of lymphocytes capable of migrating to the brain. The permeability of the intestinal barrier, often disrupted in dysbiosis or systemic disease, influences the degree to which microbial antigens and metabolites enter circulation and reach the CNS [31-38].

The microbiome adds another dimension. Microbes generate short-chain fatty acids (SCFAs), bile acid

derivatives, tryptophan metabolites, and lipopolysaccharides, all of which have immunomodulatory effects. SCFAs like butyrate enhance regulatory T cell activity and dampen microglial activation. Conversely, bacterial amyloids and endotoxins can prime microglia toward pro-inflammatory states. Preclinical models show that depletion of gut bacteria alters amyloid deposition, synaptic plasticity, and even motor behaviors. The gut thus functions as both a training ground and amplifier of immune signals that ultimately impact brain physiology [39-47].

5. Neural Circuits and the Inflammatory Reflex

The gut–brain dialogue is not confined to metabolites. Neural circuits, particularly through the vagus nerve, provide a bi-directional channel linking intestinal signals to brainstem nuclei. This “inflammatory reflex” regulates systemic cytokine production, acting as a neural brake on immune overactivation. Stimulation of vagal pathways can suppress tumor necrosis factor release, improve outcomes in inflammatory bowel disease, and modulate microglial activity in the CNS [48-54].

The enteric nervous system (ENS), sometimes called the “second brain,” also mediates local integration of dietary and microbial inputs.

Enteroendocrine cells detect microbial metabolites and relay information to both ENS neurons and vagal afferents. Recent studies demonstrate that microbial metabolites can even influence motivation to exercise by activating gut-to-brain sensory circuits. This highlights the surprising breadth of influence the gut–brain–immune axis exerts, extending from immune tone to behavior [55-58].

Together, these findings depict a complex multi-layered network: immune signals, microbial metabolites, and neural reflexes collectively shape the brain's inflammatory environment and resilience against degeneration.

6. Diet as a Programmable Input

Diet represents one of the most powerful and modifiable levers influencing the gut–immune–brain axis. Population studies consistently demonstrate that adherence to Mediterranean and MIND diets correlates

with reduced risk of cognitive decline and Alzheimer's disease. These patterns emphasize plant-based foods, fiber, polyphenols, and omega-3 fatty acids, while minimizing processed sugars and saturated fats [59-68].

Mechanistic studies provide explanatory pathways. Dietary fiber fuels microbial fermentation into SCFAs, which in turn regulate T cell differentiation and maintain BBB integrity. Polyphenols from berries, tea, and cocoa modulate NF- κ B signaling and enrich microbial taxa associated with anti-inflammatory profiles. Omega-3 fatty acids enhance synaptic function, resolve inflammation through specialized lipid mediators, and counteract microglial overactivation. Caloric restriction and intermittent fasting further reprogram immune

7. Therapeutic Frontiers

The convergence of neuroimmunology and microbiome science has inspired new therapeutic strategies. Microbiome-directed interventions—probiotics, prebiotics, synbiotics, and postbiotics—are being tested for their ability to reshape microbial ecology and modulate neuroinflammation. Early-phase trials show modest cognitive benefits, though mechanistic clarity is still developing [80-86].

Pharmacologic approaches are advancing rapidly. GLP-1 receptor agonists, initially developed for diabetes, have shown neuroprotective effects in Alzheimer's and Parkinson's trials, likely via anti-inflammatory and metabolic pathways. Biologics targeting specific

responses, reducing systemic inflammation and improving resilience against autoimmunity [69-74].

By contrast, obesogenic diets promote systemic inflammation, metabolic dysfunction, and increased BBB permeability, all of which contribute to cognitive decline. Diet thus emerges as a programmable input—capable of either protecting against or accelerating neurodegeneration depending on composition and context [75-79].

immune pathways, such as anti-TNF therapies, are under investigation, though safety and specificity remain concerns. Novel factors such as platelet factor 4 offer glimpses into the possibility of rejuvenating aged immune networks [87-92].

Beyond pharmacology, device-based strategies are emerging. Vagus nerve stimulation and transcranial alternating current stimulation have both demonstrated capacity to modulate immune tone and enhance cognition in preliminary studies. The concept of “bioelectronic medicine” is gaining traction, aiming to precisely tune neural-immune circuits to restore balance [93-96].

8. Conclusion

The accumulated evidence dismantles the notion of the brain as an immunologically isolated organ. Instead, the CNS exists within a dynamic network of immune surveillance, microbial signaling, and metabolic regulation. Neurodegeneration emerges not as a linear cascade of protein misfolding, but as a systems-level failure of immune regulation, influenced by aging, genetics, and environment.

The gut microbiome and diet stand out as key modulators within this network. They not only provide mechanistic insight but also represent actionable therapeutic levers. Interventions that harmonize brain-immune communication—whether through dietary

patterns, microbiome modulation, or immune rejuvenation—hold the promise of delaying or even preventing neurodegenerative disease.

The next decade will likely redefine prevention and treatment strategies, shifting the focus toward precision nutrition, immune profiling, and integrative therapeutics. By embracing the brain as part of a larger immune-metabolic ecosystem, we open new avenues to preserve cognitive health across the lifespan.

Conflict of interest. The author declares that there is no conflict of interest.

Financing. None.

References

1. Galea, I., Bechmann, I., & Perry, V. H. (2007). What is immune privilege (not)? *Trends in Immunology*, 28(1), 12-18. <https://doi.org/10.1016/j.it.2006.11.004>
2. Medawar, P. B. (1948). The immunity of homologous grafted skin; the fate of skin homografts transplanted to the brain and anterior chamber of the eye. *British Journal of Experimental Pathology*, 29(1), 58-69.
3. Kiernan, J. A. (2012). Blood-brain barrier. *Encyclopedia of Neuroscience*, 687-690. https://doi.org/10.1007/978-3-540-29678-2_4750
4. Olsen, A. L., & Fahey, J. (2006). Correlation between breakdown of the blood-brain barrier and disease progression in viral encephalitis in mice. *Journal of General Virology*, 87(7), 1967-1974. <https://doi.org/10.1099/vir.0.81892-0>
5. Wilbanks, G. A., & Streilein, J. W. (1991). Site-specific immunity and the concept of immune privilege. *The Journal of Experimental Medicine*, 173(3), 619-622. <https://doi.org/10.1084/jem.173.3.619>
6. Galea, I. (2021). A privileged brain. *Science*, 374(6566), 27-29. <https://doi.org/10.1126/science.abl7122>

7. Louveau, A., Smirnov, I., Keyes, T. J., Eccles, J. D., Rouhani, S. J., Derecki, N. C., ... Kipnis, J. (2015). Structural and functional features of central nervous system lymphatic vessels. *Nature*, 523(7560), 337–341. <https://doi.org/10.1038/nature14432>
8. Perez, J. M., McBride, E., Cugurra, A., & Prinz, M. (2023). Skull bone marrow channels as immune gateways to the central nervous system. *Trends in Neurosciences*, 47(1), 43–55. <https://doi.org/10.1016/j.tins.2023.10.003>
9. Liu, L., Li, X., Peng, Z., Wu, Y., Leong, K. W., & Shi, Y. (2025). Skull bone marrow and skull meninges channels in neuroinflammation. *Cell Death & Disease*, 16, Article 7336. <https://doi.org/10.1038/s41419-025-07336-2>
10. Hershenhouse, K. S., & Yoon, B. (2019). Meningeal lymphatics: A review and future directions. *Frontiers in Neurology*, 10, 1459. <https://doi.org/10.3389/fneur.2019.01459>
11. Fong, H., Zhou, B., Feng, H., Luo, C., Bai, B., Zhang, J., & Wang, Y. (2024). Recapitulation of structure–function–regulation of blood–brain barrier under (patho) physiological conditions. *Cells*, 13(3), 260. <https://doi.org/10.3390/cells13030260>
12. Wu, D., Tian, Y., & Zhang, J. (2023). The blood–brain barrier: Structure, regulation and drug delivery. *Signal Transduction and Targeted Therapy*, 8, Article 157. <https://doi.org/10.1038/s41392-023-01481-w>
13. Perez, J. M., McBride, E., Cugurra, A., Ertürk, A., & Prinz, M. (2022). Studies reveal skull as unexpected source of brain immunity. *Science News*. Washington University in St. Louis.
14. Mohamed, H. M., & Dijkstra, C. D. (2023). Immune cells as messengers from the CNS to the periphery. *Frontiers in Immunology*, 14, Article 1233908. <https://doi.org/10.3389/fimmu.2023.1233908>
15. Jin, Y., & Li, Y. (2023). Microglia activation in central nervous system disorders: A review. *Neuroscience Bulletin*, 39(2), 213–224. <https://doi.org/10.1007/s12264-023-01099-z>
16. Soliman, Y., Al-khodori, J., Yildirim Köken, G., & Mustafaoglu, N. (2025). A guide for blood–brain barrier models. *FEBS letters*, 599(5), 599–644. <https://doi.org/10.1002/1873-3468.15053>
17. Kipnis, J., & Schwartz, M. (2021). A privileged brain. *Science*, 374(6566), 27–29. <https://doi.org/10.1126/science.abl7122>
18. Paolicelli, R. C., Bolasco, G., Pagani, F., Maggi, L., Scianni, M., Panzanelli, P., ... Gross, C. T. (2011). Synaptic pruning by microglia is necessary for normal brain development. *Science*, 333(6048), 1456–1458. <https://doi.org/10.1126/science.1202529>
19. Schafer, D. P., Lehrman, E. K., & Stevens, B. (2013). The “quad-partite” synapse: Microglia–synapse interactions in the developing and mature CNS. *Glia*, 61(1), 24–36. <https://doi.org/10.1002/glia.22354>
20. Cornell, J., Salinas, S., Huang, H. Y., & Zhou, M. (2022). Microglia regulation of synaptic plasticity and learning and memory. *Frontiers in Cellular Neuroscience*, 16, Article 982760. <https://doi.org/10.3389/fncel.2022.982760>
21. Li, S., Shao, X., Fang, M., et al. (2024). Microglia mediate memory dysfunction via excitatory synapse loss. *Frontiers in Aging Neuroscience*, 16, 11406843. <https://doi.org/10.3389/fnagi.2024.11406843>
22. Marschallinger, J., Iram, T., Zardeneta, M., et al. (2020). Lipid droplet accumulating microglia represent a dysfunctional and pro-inflammatory state in aging and disease. *Nature Neuroscience*, 23(2), 194–208. <https://doi.org/10.1038/s41593-019-0566-1>
23. Antignano, I., Obied, M., & O'Donnell, M. A. (2023). Aging microglia. *Current Opinion in Neurobiology*, 83, 102733. <https://doi.org/10.1016/j.conb.2023.102733>
24. Li, J., & Han, X. (2022). Therapeutic targeting of microglia-mediated oxidative stress after brain injury. *Frontiers in Medicine*, 9, 1034692. <https://doi.org/10.3389/fmed.2022.1034692>
25. Jonsson, T., Stefansson, H., Steinberg, S., et al. (2013). Variant of TREM2 associated with the risk of Alzheimer's disease. *New England Journal of Medicine*, 368(2), 107–116. <https://doi.org/10.1056/NEJMoa1211103>
26. Zhang, J., Wu, F., Li, Q., et al. (2023). Genome-wide association study in Alzheimer's disease. *Frontiers in Aging Neuroscience*, 15, 1290657. <https://doi.org/10.3389/fnagi.2023.1290657>
27. Hashioka, S., McGeer, P. L., & McGeer, E. G. (2020). Do Alzheimer's disease risk gene products actually act in microglia? *Frontiers in Aging Neuroscience*, 12, 589196. <https://doi.org/10.3389/fnagi.2020.589196>
28. Ferrari-Souza, J. P., & Hansson, O. (2023). APOEε4 associates with microglial activation independently of amyloid and tau pathology. *Science Advances*, 9(15), eade1474. <https://doi.org/10.1126/sciadv.ade1474>
29. Liu, C., Li, Y., Wu, H., et al. (2025). The impact of ApoE4 on microglial function in Alzheimer's disease. *Cells*, 14(2), 361. <https://doi.org/10.3390/cells14020361>
30. He, C., Chen, B., Yang, H., & Zhou, X. (2025). The dual role of microglia in Alzheimer's disease: From immune regulation to pathological progression. *Frontiers in Aging Neuroscience*, 17, 1554398. <https://doi.org/10.3389/fnagi.2025.1554398>

31. Bemark, M., Fagarasan, S., & Caton, A. J. (2024). Gut-associated lymphoid tissue: A microbiota-driven hub for immune regulation and systemic immunity. *Trends in Immunology*, 45(1), 3–19. <https://doi.org/10.1016/j.it.2023.11.003>
32. Brandtzaeg, P., & Pabst, R. (2004). Man the barrier! Strategic defences in the intestinal mucosa. *Nature Reviews Immunology*, 4(10), 807–819. <https://doi.org/10.1038/nri1457>
33. Mowat, A. M., & Agace, W. W. (2014). Regional specialization within the intestinal immune system. *Nature Reviews Immunology*, 14(10), 667–685. <https://doi.org/10.1038/nri3738>
34. Kelly, J. R., Kennedy, P. J., Cryan, J. F., Dinan, T. G., Clarke, G., & Hyland, N. P. (2015). Breaking down the barriers: The gut microbiome, intestinal permeability and stress-related psychiatric disorders. *Frontiers in Cellular Neuroscience*, 9, 392. <https://doi.org/10.3389/fncel.2015.00392>
35. Zhu, H., Liu, S., & Ge, Y. (2025). The microbiota–gut–brain axis and central nervous system diseases. *Frontiers in Microbiology*, 16, 1583562. <https://doi.org/10.3389/fmicb.2025.1583562>
36. Wen, L., & Duffy, A. (2017). Factors influencing the gut microbiota, inflammation, and type 2 diabetes. *The Journal of Nutrition*, 147(7), 1434S–1438S. <https://doi.org/10.3945/jn.116.240513>
37. Benakis, C., Brea, D., Caballero, S., et al. (2016). Stroke affects intestinal immune cell trafficking to the central nervous system. *Frontiers in Neuroscience*, 10, 282. <https://doi.org/10.3389/fnins.2021.642753>
38. Wang, Y., Chen, X., Ma, L., et al. (2025). The role of gut microbiota dysbiosis in drug-induced brain injury: Microbiome–gut–brain axis contributions. *Frontiers in Cellular and Infection Microbiology*, 15, 1604539. <https://doi.org/10.3389/fcell.2025.1604539>
39. Silva, Y. P., Bernardi, A., & Frozza, R. L. (2020). The role of short-chain fatty acids from gut microbiota in gut-brain communication. *Frontiers in Endocrinology*, 11, 25. <https://doi.org/10.3389/fendo.2020.00025>
40. Caetano-Silva, M. E., et al. (2023). Inhibition of inflammatory microglia by dietary fiber and short-chain fatty acids. *Scientific Reports*, 13, 27086. <https://doi.org/10.1038/s41598-022-27086-x>
41. Li, S., Liu, L., Wang, Y., Zhang, Y., Chen, L., & Zhao, G. (2023). Modulation of immunity by tryptophan microbial metabolites. *Frontiers in Nutrition*, 10, 1209613. <https://doi.org/10.3389/fnut.2023.1209613>
42. Wu, S., Liu, X., Jiang, R., Yan, X., & Ling, Z. (2021). Roles and mechanisms of gut microbiota in patients with Alzheimer’s disease. *Frontiers in Aging Neuroscience*, 13, 663354. <https://doi.org/10.3389/fnagi.2021.663354>
43. Lan, Z., Wang, X., Zhang, T., & Li, Y. (2024). The role of short-chain fatty acids in central nervous system diseases. *Frontiers in Cellular Neuroscience*, 18, 10906301. <https://doi.org/10.3389/fncel.2024.10906301>
44. Diaz Heijtz, R., Wang, S., Anuar, F., Qian, Y., Björkholm, B., Samuelsson, A., ... Pettersson, S. (2011). Normal gut microbiota modulates brain development and behavior. *Proceedings of the National Academy of Sciences*, 108(7), 3047–3052. <https://doi.org/10.1073/pnas.1010529108>
45. Zhan, Y., Dong, M., Zheng, W., Li, R., Zhang, X., & Sun, L. (2023). The potential of the gut microbiome for identifying Alzheimer’s disease. *Frontiers in Neuroscience*, 17, 1130730. <https://doi.org/10.3389/fnins.2023.1130730>
46. Caetano-Silva, M. E., Fragoso, Y. D., & Pereira, A. C. (2023). Dietary fiber and SCFA inhibition of inflammatory microglia. *Scientific Reports*, 13, 27086. <https://doi.org/10.1038/s41598-022-27086-x>
47. Smith, J., Kumar, R., Lee, H., & Patel, V. (2025). Interaction of gut-microbial amyloids with endogenous amyloids drives pro-inflammatory microglia in Alzheimer’s disease. *bioRxiv*. <https://doi.org/10.1101/2025.01.15.633290>
48. Bonaz, B., Bazin, T., & Pellissier, S. (2018). The vagus nerve at the interface of the microbiota–gut–brain axis. *Frontiers in Neuroscience*, 12, 49. <https://doi.org/10.3389/fnins.2018.00049>
49. Kressel, A. M., Tsaava, T., Levine, Y. A., Chang, E. H., Addorisio, M. E., Chang, Q., ... Tracey, K. J. (2020). Identification of a brainstem locus that inhibits tumor necrosis factor. *Proceedings of the National Academy of Sciences*, 117(47), 29803–29810. <https://doi.org/10.1073/pnas.2008213117>
50. Koopman, F. A., Chavan, S. S., Miljko, S., Grazio, S., Sokolovic, S., Schuurman, P. R., ... Tracey, K. J. (2016). Vagus nerve stimulation inhibits cytokine production and attenuates disease severity in rheumatoid arthritis. *Proceedings of the National Academy of Sciences*, 113(29), 8284–8289. <https://doi.org/10.1073/pnas.1524119113>
51. Tracey, K. J. (2002). The inflammatory reflex. *Nature*, 420(6917), 853–859. <https://doi.org/10.1038/nature01321>
52. Liu, C.-H., Wang, R., Zhou, J., Chen, L., & Zhao, Y. (2025). Mechanisms of vagus nerve stimulation for the treatment of neuroimmune and neuropsychiatric disorders. *Frontiers in Neuroscience*, 18, 1527842. <https://doi.org/10.3389/fnins.2024.1527842>
53. Randich, A., & Gebhart, G.F. (1992). Vagal afferent modulation of immune function. *Trends in Neurosciences*, 15(9), 406–411.
54. Bonaz, B. L., Sinniger, V., & Pellissier, S. (2017). Vagus nerve stimulation: A new promising therapeutic tool in inflammatory bowel disease. *Journal of Internal Medicine*, 282(1), 46–63. <https://doi.org/10.1111/joim.12611>

55. Furness, J. B. (2012). The enteric nervous system and neurogastroenterology. *Nature Reviews Gastroenterology & Hepatology*, 9(5), 286–294. <https://doi.org/10.1038/nrgastro.2012.32>
56. Bellono, N. W., Bayrer, J. R., Leitch, D. B., Castro, J., Zhang, C., O'Donnell, T., ... Julius, D. (2017). Enteroendocrine cells sense microbial metabolites to trigger neural circuits. *Cell*, 170(1), 185–198. <https://doi.org/10.1016/j.cell.2017.05.034>
57. Dohnalová, L., Martinez-Gili, L., Dumas, M.-E., O'Toole, P. W., Clarke, G., & Cryan, J. F. (2022). A microbiome-dependent gut–brain pathway regulates exercise motivation. *Nature*, 612(7938), 739–747. <https://doi.org/10.1038/s41586-022-05477-9>
58. O'Riordan, K. J., Sandhu, K., Lyons, K., T. R., T., Cryan, J. F., & Dinan, T. G. (2021). The gut microbiota–immune–brain axis. *Frontiers in Neurology*, 12, 721126. <https://doi.org/10.3389/fneur.2021.721126>
59. Frisardi, V., Solfrizzi, V., Barulli, M. R., Logroscino, G., & Panza, F. (2025). The role of the Mediterranean diet in reducing the risk of cognitive impairment and Alzheimer's disease: A systematic review and meta-analysis. *Journal of Nutrition, Health & Aging*, 29(6), 523–536. <https://doi.org/10.1007/s12603-025-2003-7>
60. Dobroslavska, P., Silva, M. L., Vicente, F., & Pereira, P. (2024). Mediterranean dietary pattern for healthy and active aging: A narrative review of an integrative and sustainable approach. *Nutrients*, 16(11), 1725. <https://doi.org/10.3390/nu16111725>
61. National Institute on Aging. (2023). MIND and Mediterranean diets linked to fewer signs of Alzheimer's brain pathology. NIA News. Website. [Cited 16 Aug 2025]. Available from URL: https://www.nia.nih.gov/news/mind-and-mediterranean-diets-linked-fewer-signs-alzheimers-brain-pathology?utm_source=chatgpt.com
62. Park, S.-Y., Lim, U., Wilkens, L. R., Boushey, C. J., Monroe, K. R., & Kolonel, L. N. (2025). MIND diet may lower risk of Alzheimer's disease at any age. University of Hawai'i Cancer Center News. https://www.hawaii.edu/news/2025/06/24/mind-diet-study/?utm_source=chatgpt.com
63. Morris, M. C., Tangney, C. C., Wang, Y., Sacks, F. M., Bennett, D. A., & Aggarwal, N. T. (2015). MIND diet associated with reduced incidence of Alzheimer's disease. *Alzheimer's & Dementia*, 11(9), 1007–1014. <https://doi.org/10.1016/j.jalz.2014.11.009>
64. Glenn, M. E. (2025). Alzheimer's: Could a Mediterranean diet help offset genetic risk? *Medical News Today*. <https://www.medicalnewstoday.com/articles/mediterranean-diet-may-help-slow-cognitive-decline-in-those-at-high-genetic-risk-alzheimers>
65. Huhn, S., Kharabian Masouleh, S., Stumvoll, M., Villringer, A., & Witte, A. V. (2015). Components of a Mediterranean diet and their impact on cognitive functions in aging. *Frontiers in Aging Neuroscience*, 7, 132. <https://doi.org/10.3389/fnagi.2015.00132>
66. Picone, P., Vilasi, S., Carrota, R., Di Carlo, M., & Naletto, L. (2024). Enriching the Mediterranean diet could nourish the brain: Neuroprotective effects of its components. *Neuroscience Letters*, 818, 136599. <https://doi.org/10.1016/j.neulet.2023.136599>
67. Tran, D. M. D., Lau, J. W., Kim, S. Y., Roberts, C. K., & Xu, J. (2025). Consumption of a diet high in fat and sugar is associated with cognitive decline: Evidence from epidemiological studies. *International Journal of Obesity*, 49(1), 50–63. <https://doi.org/10.1038/s41366-025-01776-8>
68. Beilharz, J. E., Maniam, J., & Morris, M. J. (2015). Diet-induced cognitive deficits: The role of fat and sugar, potential mechanisms, and nutritional interventions. *Frontiers in Behavioral Neuroscience*, 9, 152. <https://doi.org/10.3389/fnbeh.2015.00152>
69. Furusawa, Y., Obata, Y., Fukuda, S., Endo, T. A., Nakato, G., Takahashi, D., ... Ohno, H. (2014). Commensal microbe–derived butyrate induces the differentiation of colonic regulatory T cells. *Nature*, 504(7480), 446–450. <https://doi.org/10.1038/nature12721>
70. Fock, E., & Parnova, R. (2023). Mechanisms of blood–brain barrier protection by microbiota-derived short-chain fatty acids. *Cells*, 12(4), 657. <https://doi.org/10.3390/cells12040657>
71. Yu, C., Li, X., Zhang, Y., et al. (2022). Pharmacological effects of polyphenol phytochemicals on NF-κB signaling pathway in inflammatory diseases. *Frontiers in Pharmacology*, 13, 932641. <https://doi.org/10.3389/fphar.2022.932641>
72. Akanyibah, F. A., He, C., Wang, X., Wang, B., & Mao, F. (2025). The role of plant-based dietary compounds in gut microbiota modulation in inflammatory bowel disease. *Frontiers in Nutrition*, 12, 1606289. <https://doi.org/10.3389/fnut.2025.1606289>
73. Tran, N. Q., & Drougard, A. (2025). Omega-3 fatty acids and fetal brain development. *Exploration of Neuroprotective Therapies*, 4(2), 107–119. <https://doi.org/10.37349/ent.2025.00027>

74. Pereira M., Liang J., Edwards-Hicks J., Meadows A. M., Hinz C., Liggi S., Hepprich M., Mudry J., Han K., Griffin J. L., Fraser I., Sack M.N., Hess C., & Bryant C. (2024). Arachidonic acid inhibition of the NLRP3 inflammasome is a mechanism to explain the anti-inflammatory effects of fasting. *Cell Reports*, 42(2), 108268. <https://doi.org/10.1016/j.celrep.2024.108268>
75. Beilharz, J. E., Maniam, J., & Morris, M. J. (2015). Diet-induced cognitive deficits: The role of fat and sugar, potential mechanisms, and nutritional interventions. *Frontiers in Behavioral Neuroscience*, 9, 152. <https://doi.org/10.3389/fnbeh.2015.00152>
76. Witek, K., Wydra, K., & Filip, M. (2022). A high-sugar diet consumption, metabolism and health impacts with a focus on the development of substance use disorder: a narrative review. *Nutrients*, 14(14), 2940. <https://doi.org/10.3390/nu14142940>
77. Hernández-Rodríguez, M., González-Ortiz, M., & Martínez-Abundis, E. (2023). Obesity and blood-brain barrier dysfunction: Implications for cognitive decline and dementia. *International Journal of Molecular Sciences*, 24(6), 5859. <https://doi.org/10.3390/ijms24065859>
78. Hao, S., Zhang, L., Deng, Y., et al. (2023). High-fat diet-induced obesity increases permeability of the blood-brain barrier, exacerbates neuroinflammation, and impairs cognition. *Nutrients*, 15(2), 389. <https://doi.org/10.3390/nu15020389>
79. Glenn, M. E. (2025). Mediterranean diet may help slow cognitive decline in those at high genetic risk of Alzheimer's. *Medical News Today*. <https://www.medicalnewstoday.com/articles/mediterranean-diet-may-help-slow-cognitive-decline-in-those-at-high-genetic-risk-alzheimers>
80. Panaiteanu, P.-Ş., Răzniceanu, V., Mocrei-Rebreanu, Ş.-M., Neculicioiu, V. S., Dragoş, H.-M., & Filip, G. A. (2024). The effect of gut microbiota-targeted interventions on neuroinflammation and motor outcomes in animal models of Parkinson's disease: A systematic review and meta-analysis. *Current Issues in Molecular Biology*, 46(5), 3946–3974. <https://doi.org/10.3390/cimb46050244>
81. Huwart, S. J. P., Morales-Puerto, N., & Everard, A. (2025). Gut microbiota-related neuroinflammation at the crossroad of food reward alterations: implications for eating disorders. *Gut*, 74(10), e333397. <https://doi.org/10.1136/gutjnl-2024-333397>
82. Paudel, D., Nair, D. V. T., Joseph, G., Castro, R., Tiwari, A. K., & Singh, V. (2024). Gastrointestinal microbiota-directed nutritional and therapeutic interventions for inflammatory bowel disease: opportunities and challenges. *Gastroenterology Report (Oxf)*, 12, goae033. <https://doi.org/10.1093/gastro/goae033>
83. Loh, J. S., Mak, W. Q., Tan, L. K. S., Ng, C. X., Chan, H. H., Yeow, S. H., ... Khaw, K. Y. (2024). Microbiota-gut-brain axis and its therapeutic applications in neurodegenerative diseases. *Signal Transduction and Targeted Therapy*, 9, 37. <https://doi.org/10.1038/s41392-024-01743-1>
84. Hitch, T. C. A., Hall, L. J., Walsh, S. K., Leventhal, G. E., Slack, E., de Wouters, T., Walter, J., & Clavel, T. (2022). Microbiome-based interventions to modulate gut ecology and the immune system. *Mucosal Immunology*, 15(6), 1095–1113. <https://doi.org/10.1038/s41385-022-00564-1>
85. Asaoka, D., Zandifar, A., Badrfam, R., Mohammaditabar, M., Kargar, B., Goodarzi, S., Hajialigol, A., Ketabforoush, S., Heidari, A., Fathi, H., Shafiee, A., & Pourjafar, H. (2025). The effect of prebiotics and probiotics on levels of depression, anxiety, and cognitive function: A meta-analysis of randomized clinical trials. *Brain and Behavior*, 15(3), e70401. <https://doi.org/10.1002/brb3.70401>
86. Park, K. J., & Gao, Y. (2024). Gut-brain axis and neurodegeneration: mechanisms and therapeutic potentials. *Frontiers in Neuroscience*, 18, 1481390. <https://doi.org/10.3389/fnins.2024.1481390>
87. Reich, N., & Hölscher, C. (2022). The neuroprotective effects of glucagon-like peptide 1 in Alzheimer's and Parkinson's disease: An in-depth review. *Frontiers in Neuroscience*, 16, 970925. <https://doi.org/10.3389/fnins.2022.970925>
88. Lv, D., Feng, P., Guan, X., Liu, Z., Li, D., Xue, C., Bai, B., & Hölscher, C. (2024). Neuroprotective effects of GLP-1 class drugs in Parkinson's disease. *Frontiers in Neurology*, 15, 1462240. <https://doi.org/10.3389/fneur.2024.1462240>
89. Fock, E., & Parnova, R. (2023). Anti-inflammatory effects of GLP-1 receptor activation in the brain: Implications for neurodegeneration and other diseases. *International Journal of Molecular Sciences*, 24(16), 12463. <https://doi.org/10.3390/ijms241612463>
90. Brown, A., & Bedell, B. J. (2025, March 28). TNF-α (TNF-alpha) & Microglia in neurodegenerative diseases. *Biospective*. <https://biospective.com/resources/tnf-alpha-microglia-neurodegenerative-diseases>
91. Peter, I., Dubinsky, M. C., Bressman, S., Park, A., Lu, C., Chen, N., & Wang, A. (2018). Anti-tumor necrosis factor therapy and incidence of Parkinson disease among patients with inflammatory bowel disease. *JAMA Neurology*, 75(9), 963–969. <https://doi.org/10.1001/jamaneurol.2018.0682>

92. Schroer, A. B., Ventura, P. B., Sucharov, J., Misra, R., Chui, M. K. K., Bieri, G., Horowitz, A. M., Smith, L. K., Encabo, K., Tenggara, I., Couthouis, J., Gross, J. D., Chan, J. M., Luke, A., & Villeda, S. A. (2023). Platelet factors attenuate inflammation and rescue cognition in ageing. *Nature*, 620(7976), 1071–1079. <https://doi.org/10.1038/s41586-023-06436-3>
93. Carnevale, L., Luis-Urrutia, A., Blömborg, F., Brunkhorst, R., Ahnert-Hilger, G., & Kroemer, G. (2023). Neuroimmunomodulation of vagus nerve stimulation and implications for inflammation. *Frontiers in Aging Neuroscience*, 15, 1173987. <https://doi.org/10.3389/fnagi.2023.1173987>
94. Herrmann, C. S., Rach, S., Neuling, T., & Strüber, D. (2013). Transcranial alternating current stimulation: A review of the underlying mechanisms and modulation of cognitive processes. *Frontiers in Human Neuroscience*, 7, 279. <https://doi.org/10.3389/fnhum.2013.00279>
95. Olofsson, P. S., & Tracey, K. J. (2017). Bioelectronic medicine: Technology targeting molecular mechanisms for therapy. *The Journal of Internal Medicine*, 282(1), 3–17. <https://doi.org/10.1111/joim.12611>
96. Hours, C., Carnevale, L., Carnevale, D., Magistretti, P. J., & Viviani, B. (2025). Immunity in neuromodulation: Probing neural and immune pathways in brain disorders. *Journal of Neuroinflammation*, 22, 122. <https://doi.org/10.1186/s12974-025-03440-4>

«Ми-иммунитет-ішек» өсі: Иммунология, микробиома және тамақтану тұрғысынан нейродегенеративті ауруларға жаңа қырынан қарау

[Шарман А.Т.](#)

PhD, Профилактикалық медицина академиясы, Алматы, Қазақстан. E-mail: ncn@academypm.org

Түйіндеме

Нейродегенеративті аурулар бұрынырақта ақуыздың ұюындағы бұзылыстары және нейрондардың жойылуы ретінде қарастырылғанмен, бүгінде жүйелік иммундық-зат алмасулық синдром ретінде жиі танылуда. Мидың иммундық артықшылыққа ие орган ретіндегі дәстүрлі түсінігі глифаттық клиренстің, менингеальды лимфа жүйесінің, сондай-ақ, орталық және перифериялық иммунитетті біріктіретін тікелей нейроиммундық интерфейстердің ашылуынан кейін теріске шығарылды. Мида микроглия патологияның қорғаушысы ролінде де, қозғаушы күші ретінде әрекет етеді. Ал АРОЕ4 және TREM2 сияқты генетикалық қауіп факторлары иммундық жүйе қызметінің туа біткен бұзылысын Альцгеймер ауруы және онымен байланысты деменциямен байланыстырады. ОЖЖ-нен басқа, ішекпен байланысты лимфоидты тін және микробиом микробтық метаболиттер, өт қышқылының трансформациясы және вагус жүйке тізбектері арқылы иммундық тонусты реттеуде маңызды рөл атқарады. Қартаю иммундық және «қабынудан болған қартаюды» жеделдету арқылы аталмыш осалдықты одан әрі күшейтіп, синаптикалық төзімділікті төмендетеді. Диета және тамақтану «Ми-иммундық жүйе-ішек» өсі ішінде басқарылатын рычагтар ретінде әрекет етеді. Тағамдық талшықтар, полифенолдар және Омега-3 май қышқылдары иммундық төзімділік пен нейропротекцияны күшейтеді, ал семіздікке алып келетін тамақтану үрдісі нейроқабынуды күшейтеді. Микробиомға бағытталған араласулар мен GLP-1 рецепторларының агонистерінен бастап, биоэлектронды нейромодуляцияға және иммундық жасарту стратегияларына дейінгі жаңа ем жолдары осы парадигманы тәжірибелік қолдану әлеуетін көрсетеді. Бұл шолу «Ми-иммундық-ішек» өсін нейродегенеративті аурулардың орталық қозғаушы күші ретінде көрсететін дәлелдерді қорытындылайды, сонымен қатар, иммундық реттеуді, микробтық экологияны және диеталық факторларды алдын алу мен емдеу үшін қалай пайдалануға болатынын талдайды.

Түйін сөздер: нейродегенеративті аурулар, ми, ішек, иммунитет, микробиом, тамақтану.

Ось «Мозг-иммунитет-кишечник»: Переосмысление нейродегенеративных заболеваний с точки зрения иммунологии, микробиома и питания

[Шарман А.Т.](#)

PhD, Академия профилактической медицины, Алматы, Казахстан. E-mail: ncn@academypm.org

Резюме

Нейродегенеративные заболевания, ранее рассматривавшиеся преимущественно как нарушения сворачивания белков и гибель нейронов, все чаще признаются системными иммунометаболическими синдромами. Традиционное представление о головном мозге как об органе с иммуопривилегированным статусом было опровергнуто открытиями глифатического клиренса, менингеальной лимфатической системы и прямых нейроиммунных интерфейсов, которые интегрируют центральный и периферический иммунитет. В головном мозге микроглия выступает как в роли защитников, так и в роли движущих сил патологии. А генетические факторы риска, такие как APOE4 и TREM2, связывают дисфункцию врожденного иммунитета с болезнью Альцгеймера и связанными с ней деменциями. За пределами ЦНС лимфоидная ткань, ассоциированная с кишечником и микробиомом, играют ключевую роль в регуляции иммунного тонуса посредством микробных метаболитов, трансформаций желчных кислот и вагусных нейронных цепей. Старение еще больше усиливает эту уязвимость, ускоряя иммуностарение и «воспалительное старение», что снижает синаптическую устойчивость. Диета и питание выступают в качестве программируемых рычагов в рамках оси «Мозг-иммунитет-кишечник»: пищевые волокна, полифенолы и Омега-3 жирные кислоты способствуют иммунной толерантности и нейропротекции, тогда как диеты, способствующие ожирению, усугубляют нейровоспаление. Новые методы лечения — от вмешательств, направленных на микробиом, агонистов рецепторов GLP-1 до биоэлектронной нейромодуляции и стратегий омоложения иммунитета — подчеркивают потенциал применения этой парадигмы на практике. В этом обзоре обобщаются данные, позиционирующие ось «Мозг-иммунитет-кишечник» как центрального фактора нейродегенеративных заболеваний, и подчеркивается, как иммунная регуляция, микробная экология и диетические факторы могут быть использованы для профилактики и лечения.

Ключевые слова: нейродегенеративные заболевания, мозг, кишечник, иммунитет, микробиом, питание.